



RUBYLIN BV

Floors

 **RUBYLIN**
Floors

www.rubylin.eu

ABOUT US

Rubylin Vinyl Flooring

As a global vinyl flooring and LVT brand, we aim to provide high-quality flooring solutions and services, for both residential and commercial users around the globe.


Innovation being at the heart of our strategy, we continuously develop new products, in a sustainable way to meet today's customers needs and expectations.

Whether you're looking for a floor for your gym, high traffic business or entire house, Rubylin floor is an excellent eco-friendly, cost-effective, durable and low-maintenance option that can withstand daily use.

Our 2023 flooring collection features that perfectly capture the realistic look of wood and tiles that replicate real concrete, available in several formats of colors and textures.

CONTENTS

1.ABOUT US	—————	P.02
2.ABOUT SPC	—————	P.04
3.COLLECTIONS	—————	P.06
4.PARAMETERS	—————	P.20






ABOUT SPC

STRUCTURE

- UV Layer
- Anti-Resistance Wear-layer
- Decor Film
- SPC Board
- IXPE Underlayer





SPECIAL FEATURES

A. Authentic Coating


To ensure the real wood effect, we control the gloss of the surface between 3°~5° by extra UV coating technology

B. Anti-Scratch & Anti-Stain Coating

Extra Anti-Scratch & Anti-Stain UV coating layer provide extra super anti-resistance and anti-stain performance for the surface

C. 100% Water-proof

100% water-proof performance



COLLECTIONS



- FIT -



- HERRINGBONE -



- PREMIUM XL -

COLLECTIONS


Fit / Herringbone / Premium XL



FIT

Dimension	Wear	Pcs/Box	SQ.M/Box	IXPE	Click	Bevel
1220*182*5	0.5mm	10	2.22	1mm	Unilin	Micro-Bevel









HB HERRINGBONE



HERRINGBONE

Dimension	Wear	Pcs/Box	SQ.M/Box	IXPE	Click	Bevel
625*125*5.5	0.5mm	24	1.88	1mm	Unilin	Micro-Bevel






Cray HB



Sand HB



Grey HB











PREMIUM XL

Dimension	Wear	Pcs/Box	SQ.M/Box	IXPE	Click	Bevel
1524*228*5	0.5mm	8	2.78	1mm	Unilin	Micro-Bevel



PREMIUM XL





PRODUCT SPECIFICATION	STANDARD	FIT	PREMIUM XL	HERRINGBONE
Product Standard	-	EN ISO 10582		
Total Thickness	EN ISO 24346	5mm	5mm	5.5mm
Wear-layer Thickness	EN ISO 24340	0.5mm	0.5mm	0.5mm
Classification	EN ISO 10874	Residential 23/ Commercial 33		
Total Weight	EN ISO 23997	7700-8300g/m²		8700-9300g/m²
Wear-layer Binder Content	EN ISO 10582	Type I		
Abrasion Group	EN 660-2	Group T: ≤ 2,00 mm³		
Dimensions	EN ISO 24342	1220*182*5	1524*228*5	625*125*5.5
Surface Coating	-	Authentic Gloss Coating + Anti-Scratch & Anti-Stain Coating		
Click System	-	Unilin		
Bevel of Edges	-	Micro Bevel		

PARAMETERS

PRODUCT PERFORMANCE	STANDARD	FIT	PREMIUM XL	HERRINGBONE
Product Standard	EN ISO 23999		≤ 0,06 %	
Castor Chair	ISO 4918		No Damage (Type W)	
Furniture Leg	EN ISO 16581		No Damage	
Squareness & Straightness	EN ISO 24342		≤ 0,25 mm	
Residual Indentation	EN ISO 24343-1		≤ 0,1 mm	
Impact Sound Reduction	EN ISO 717-2		ΔLw = 21 dB	
Light Fastness	EN ISO 105-B02		≥ 6	
Slip Resistance	DIN 51130		R10	
	EN 13893		DS	
Resistance to Chemicals	EN ISO 26987		Not affected (0)	
Thermal Resistance	EN ISO 10456		0,04 m² K/W	
Curl after Exposure to Heat	EN ISO 23999		≤ 2 mm	
Fire Resistance	EN 13501-1		Bfl-s1	
Electrical Properties	EN 1815		≤ 2kV	
Resistance against Staining	EN 26987		Pass	
Underfloor Heating Suitability	EN 12524		Suitable - Max. 27°C	

PARAMETERS

ENVIRONMENT	STANDARD	FIT	PREMIUM XL	HERRINGBONE
TVOC after 28 Days (AgBB test) - Indoor Air Quality	ISO 16000-9	≤ 100µg/m³		
VOC Emission Class (French regulation) - Indoor Air Quality	ISO 16000-9	A+		
Floorscore VOC Test - Indoor Air Quality	ISO 16000-9	Passed		
Plasticizer		Phthalate-free		
Formaldehyde Group	EN 717-1E1	E1		
Recyclability	-	100%		

WARRANTIES	STANDARD	FIT	PREMIUM XL	HERRINGBONE
Residential Warranty	-	10 Years		
Commercial Warranty	-	5 Years		

▲ RUBYLIN
Floors

www.rubylin.eu

